The MERIT High-Power Target Experiment

at the CERN PS



K.T. McDonald *Princeton U.* PAC'09 Vancouver, May 5, 2009

The MERIT Collaboration H.G. Kirk, H. Park, T. Tsang, *BNL, Upton, NY 11973, U.S.A.* I. Efthymiopoulos, A. Fabich, F. Haug, J. Lettry, M. Palm, *H. Pereira, CERN, CH-1211 Genève 23, Switzerland* N. Mokhov, S. Striganov, *FNAL, Batavia, IL, 60510, U.S.A.* A. Carroll, V.B. Graves, P.T. Spampinato, *ORNL, Oak Ridge, TN 37831, U.S.A.* K.T. McDonald, *Princeton University, Princeton, NJ 08544, U.S.A.* J.R.J. Bennett, O. Caretta, P. Loveridge, *CCLRC, RAL, Chilton, OX11 0QX, U.K.*

Images for 10 Tp, 24 GeV, 10 T:



Target Systems for a Muon Collider/Neutrino Factory

Item	Neutrino Factory Study 2	Neutrino Factory IDS / Muon Collider	Comments
Beam Power	4 MW	4 MW	No existing target system will survive at this power
E _p	24 GeV	8 GeV	π yield for fixed beam power peaks at ~ 8 GeV
Rep Rate	50 Hz	50 Hz	
Bunch width	~ 3 ns	~ 3 ns	Very challenging for proton driver
Bunches/pulse	1	3	3-ns bunches easier if 3 bunches per pulse
Bunch spacing	-	~ 100 μs	
Beam dump	< 5 m from target	< 5 m from target	Very challenging for target system
π Capture system	20-T Solenoid	20-T Solenoid	v Superbeams use toroidal capture system
π Capture energy	40 < T_{π} < 180 MeV	40 < T_{π} < 180 MeV	Much lower energy than for v Superbeams
Target geometry	Free liquid jet	Free liquid jet	Moving target, replaced every pulse
Target velocity	20 m/s	20 m/s	Target moves by 50 cm ~ 3 int. lengths per pulse
Target material	Нд	Нд	High-Z material favored for central, low-energy π 's
Dump material	Hg	Нд	Hg pool serves as dump and jet collector
Target radius	5 mm	4 mm	Proton σ_r = 0.3 of target radius
Beam angle	67 mrad	80 mrad	Thin target at angle to capture axis maximizes π 's
Jet angle	100 mrad	60 mrad	Gravity favors bringing jet in below proton beam



PAC'09 TU4GRI03



Solenoid Target and Capture Topology

Desire \approx 10^{14} μ/s from \approx 10^{15} p/s (\approx 4 MW proton beam).

Highest rate $\mu^{\scriptscriptstyle +}$ beam to date: PSI $\mu E4~$ with $\approx 10^9~\mu/s$ from $\approx 10^{16}~p/s$ at 600 MeV.

 \Rightarrow Some R&D needed!

- R. Palmer (BNL, 1994) proposed a solenoidal capture system.
- Low-energy π 's collected from side of long, thin cylindrical target.
- Collects both signs of π 's and μ 's,
- ⇒ Shorter data runs (with magnetic detector).
- Solenoid coils can be some distance from proton beam.
- $\Rightarrow \geq$ 4-year life against radiation damage at 4 MW.

Liquid mercury jet target replaced every pulse.

- Proton beam readily tilted with respect to magnetic axis.
- \Rightarrow Beam dump (mercury pool) out of the way of secondary π 's and μ 's.

Neutrino Factory Study 2 Target Concept





3

PAC'09 TU4GRI03

5 May 2009

Remember the Beam Dump

- Target of 2 interaction lengths \Rightarrow 1/7 of beam is passed on to the beam dump.
 - \Rightarrow Energy deposited in dump by primary protons is same as in target.
- Long distance from target to dump at a Superbeam,
 - \Rightarrow Beam is much less focused at the dump than at the target,
 - \Rightarrow Radiation damage to the dump not a critical issue (Superbeam).
- Short distance from target to dump at a Neutrino Factory/Muon Collider,
 - \Rightarrow Beam still tightly focused at the dump,
 - \Rightarrow Frequent changes of the beam dump, or a moving dump, or a liquid dump.
- A flowing liquid beam dump is the most plausible option for a Neutrino Factory, independent of the choice of target. (This is so even for a 1-MW Neutrino Factory.)

The proton beam should be tilted with respect to the axis of the capture system at a Neutrino Factory, so that the beam dump does not absorb the captured π 's and μ 's.





Target Options

MW energy dissipation requires liquid coolant somewhere in system

 \Rightarrow No such thing as "solid-target-only" at this power level.

- The lifetime dose against radiation damage (embrittlement, cracking,) by protons for most solids is about 10²²/cm².
 - Target lifetime of about 5-14 days at a 4-MW Neutrino Factory
 - Mitigate by frequent target changes, moving target, liquid target, ...
- Static Solid Targets
 - Graphite (or carbon composite) cooled by water/gas/radiation [CNGS, NuMI, T2K]
 - Tungsten or Tantalum (discs/rods/beads) cooled by water/gas [PSI, LANL]
- Moving Solid Targets
 - Rotating wheels/cylinders cooled (or heated!) off to side [SLD, FNAL, SNS]
 - Continuous or discrete belts/chains [King]
 - Flowing powder [Densham]

K. McDonald

- Flowing liquid in a vessel with beam windows [SNS, ESS]
 - But, cavitation induced by short beam pulses cracks pipes!



•Free liquid jet [Neutrino Factory Study 2]



Beam-Induced Cavitation in Liquids Can Break Pipes

ISOLDE:



Hg in a pipe (BINP):



Cavitation pitting of SS wall surrounding Hg target after 100 pulses (SNS):



 \Rightarrow Use free liquid jet target when possible.





Pion Production Issues for ν Factory/Muon Collider, I

MARS simulations: N. Mohkov, H. Kirk, X. Ding

- Only pions with 40 < KE $_{\pi}$ < 180 MeV are useful for later RF bunching/acceleration of their decay muons.
- Hg better than graphite in producing low-energy pions (graphite is better for higher energy pions as for a Superbeam).



Pion Production Issues for v Factory/Muon Collider, II



Pion Production Issues for v Factory/Muon Collider, III



Mercury Target Tests (BNL-CERN, 2001-2002)





PAC'09 TU4GRI03

Magnetohydrodynamic Simulations (R. Samulyak, W. Bo)



Surface filaments at 160 μs

FRONTIER simulations, with cavitation, of effects of energy deposited by an intense proton pulse.



20 μs









250 μs

Water jet ripples generated by a 8 mJ Laser cavitation bubble

Laser-induced breakup of a water jet: (J. Lettry, CERN)





11



K. McDonald

PAC'09 TU4GRI03

5 May 2009

CERN MERIT Experiment (Nov 2007)



Optical Diagnostics of the Mercury Jet (T. Tsang)



Stabilization of Jet Velocity by High Magnet Field

The mercury jet showed substantial surface perturbations in zero magnetic field. These were suppressed, but not eliminated in high magnetic fields. Jets with velocity 15 m/s:



0T

5 T

10 T

15 T

MHD simulations:

K. McDonald

6 The State of the state of the state

PAC'09 TU4GRI03

Celebrar Start and the second

May 2009





Jet Height

- The velocity of surface perturbations on the jet was measured at all 4 viewports to be about 13.5 m/s, independent of magnetic field.
- The vertical height of the jet grew ~ linearly with position to ~ double its initial value of 1 cm after 60 cm, almost independent of magnetic field.
- Did the jet stay round, but have reduced density (a spray) or did the jet deform into an elliptical cross section while remaining at nominal density?
- This issue may have been caused by the 180° bend in the mercury delivery pipe just upstream of the nozzle.



PAC'09 TU4GRI03





K. McDonald

MERIT Beam Pulse Summary



Disruption Length Analysis (H. Park)



Filament Velocity Analysis (H. Park)

Study velocity of filaments of disrupted mercury using the highest-speed camera, at viewport 2, at frame periods of 25, 100 or 500 μs

Shot 11019: 24-GeV, 10-Tp Beam, 10-T Field, 25µs/frame:



Filament Velocities and Start Times

For our projected data, take the characteristic filament velocity to be the largest velocity observed in a shot, and take the associated filament start time to be that of the largest velocity filament.

⇒ Filament velocity observed to be ~ linear in number of protons, and somewhat suppressed at higher magnetic fields.

Filament start time is typically much longer than 2 µs = transit time of sound (pressure) wave across the jet.

The start time depends on number of protons, and on magnetic field, but more study needed.



May 2009

5

19



PAC'09 TU4GRI03

Pump-Probe Studies

- ? Is pion production reduced during later bunches due to disruption of the mercury jet by the earlier bunches?
- At 14 GeV, the CERN PS could extract several bunches during one turn (pump), and then the remaining bunches at a later time (probe).
- Pion production was monitored for both target-in and target-out events by a set of diamond diode detectors.
- These detectors showed effects of rapid depletion of the charge stored on the detector electrodes, followed by a slow RC recovery of the charge/voltage.
- The beam-current transformer data was used to correct for fluctuations in the number of protons per pCVD Diamond, beam-right 20deg, PS in h=16



Preliminary Pump-Probe Data Analysis (I. Efthymiopoulos, H. Kirk)



The preliminary results are consistent with no loss of pion production for bunch delays of 40 and 350 μ s, and a 5% loss (2.5- σ effect) of pion production for bunches delayed by 700 μ s.



Pump-Probe Study with 4 Tp + 4 Tp at 14 GeV, 10 T



Threshold of disruption is > 4 Tp at 14 Gev, 10 T.

 \Rightarrow Target supports a 14-GeV, 4-Tp beam at 172 kHz rep rate without disruption.





Summary

The MERIT experiments established proof-of-principle of a free mercury jet target in a strong magnetic field, with proton bunches of intensity equivalent to a 4 MW beam.

- The magnetic field stabilizes the liquid metal jet and reduces disruption by the beam.
- The length of disruption is less that the length of the beam-target interaction,
 ⇒ Feasible to have a new target every beam pulse with a modest velocity jet.
- Velocity of droplets ejected by the beam is low enough to avoid materials damage.
- The threshold for disruption is a few \times 10^{12} protons, permitting disruption-free operation at high power if can use a high-rep-rate beam.
- Even with disruption, the target remains fully useful for secondary particle production for \approx 300 μs , permitting use of short bunch trains at high power.

•Followup: Engineering study of a mercury loop + 20-T capture magnet, begun in v Factory Study 2, in the context of the International Design Study for a Neutrino Factory.

- Splash mitigation in the mercury beam dump.
- Possible drain of mercury out upstream end of magnets.
- Downstream beam window.
- Water-cooled tungsten-carbide shield of superconducting magnets.
- High-TC fabrication of the superconducting magnets.



