


Target and Absorbers for a Muon Collider/Neutrino Factory





K.T. McDonald

Princeton U.

(July 11, 2012)

Muon Accelerator Program Advisory Committee Review Fermilab (July 11-13, 2012)



Mission



Target:

- Maximum production of μ^\pm of energies ~ 100-400 MeV from a 4-MW proton beam (E ~ 8 GeV).
- Both signs needed simultaneously at a Muon Collider.

Absorbers:

- Absorb the 4-MW beam power inside the target system.
- Absorb muon energy as a step in the process of ionization cooling.

Overview

Target:

- Free liquid-metal-jet target inside a high-field superconducting solenoid magnet
- Backup (not actively considered): solid target in toroidal horn; 2 needed for Muon Collider.


Absorbers:

- Absorb primary proton beam in liquid-metal pool.
- Absorb secondary particles in He-gas-cooled tungsten beads inside solenoid magnets.
- Low-Z solid/liquid muon absorbers under study in MICE (D. Kaplan)
- High-pressure H_2 -gas absorbers under study by Muons Inc (H. Kirk, K. Yonehara poster).




The Target System of a Muon-Collider or Neutrino Factory





In the IDS-NF costing scenario, the Target System includes the production target and the magnetized pion-decay channel.





Target and Capture Topology: Solenoid



Desire $\approx 10^{14}~\mu/\text{s}$ from $\approx 10^{15}~\text{p/s}$ ($\approx 4~\text{MW}$ proton beam)

R.B. Palmer (BNL, 1994) proposed a 20-T solenoidal capture system.

Low-energy π 's collected from side of long, thin cylindrical target.

Solenoid coils can be some distance from proton beam.

 \Rightarrow \geq 10-year life against radiation damage at 4 MW.

Liquid mercury jet target replaced every pulse.

Proton beam readily tilted with respect to magnetic axis.

 \Rightarrow Beam dump (mercury pool) out of the way of secondary π 's and μ 's.

Superconducting magnets Present Target Concept Tungsten beads, He-gas cooled Be window Proton beam and Mercury jet Resistive magnets Mercury collection pool With splash mitigator

Shielding of the superconducting magnets from radiation is a major issue.

Magnet stored energy ~ 3 GJ!


5-T copper magnet insert; 10-T Nb₃Sn coil + 5-T NbTi outsert.

Desirable to eliminate the copper magnet (or replace by a 20-THTS insert).



From A. Kurup's IDS-NF Costing Talk







Targetry Activities



- 1. Simulation of beam-jet interaction in a magnetic field (R. Samulak, T. Guo).
- 2. Simulation of turbulent flow inside, and out of, the nozzle (F. Ladiende, Y. Zhan).
- 3. Simulation of particle production vs. beam & target parameters (X. Ding).
- 4. Simulation of the effect of the magnetic configuration on particle production (H. Sayed).
- 5. Simulation of secondary-energy deposition in the target system (N. Souchlas).
- 6. Design of the magnets and shielding for the target system (R.J. Weggel).
- 7. Design of the mercury-handling system (V.B. Graves).
- 8. Coordination of the above, and interface with other MC/NF Systems (J.S. Berg, H.G. Kirk, K.T. McDonald).

The above activities are projected to continue well beyond FY15.

Past activities included a proof-of-principle demonstration of a free mercury jet in a 15-T magnetic field in an intense proton beam (CERN MERIT experiment).



MERIT Experiment Summary



The MERIT experiment established proof-of-principle of a free mercury jet target in a strong magnetic field, with proton bunches of intensity equivalent to a 4 MW beam.

- The magnetic field stabilizes the liquid metal jet and reduces disruption by the beam.
- The length of disruption is less than the length of the beam-target interaction,
 ⇒ Feasible to have a new target every beam pulse with a modest velocity jet.
- Velocity of droplets ejected by the beam is low enough to avoid materials damage.
- The threshold for disruption is a few \times 10¹² protons, permitting disruption-free operation at high power if can use a high-rep-rate beam.
- Even with disruption, the target remains fully useful for secondary particle production for \approx 300 μs , permitting use of short bunch trains at high power.
- · No apparent damage to stainless-steel wall only 1 cm from interaction region.

[See Backup Slides for additional details.]




Simulation of Beam-Jet Interaction in a Magnetic Field (R. Samulyak, T. Guo, SUNY Stony Brook)




FronTier simulation of high-speed-jet cavitation and breakup:




Smoothed-Particle-Hydrodynamics simulation of MERIT beam-jet interaction:





Simulation of mercury thimble experiments (2001) using the Lagrangian particle code:







Simulation of Turbulent Flow in the Nozzle (F. Ladiende, Y. Zhan, SUNY Stony Brook)




Issue in MERIT: Free jet took on elliptical cross section, major axis vertical.






FLUENT simulations indicate that if no perturbations inside the pipe, the flow out of the nozzle would be nearly axisymmetric.




The last weld of the titanium nozzle had an asymmetric weld bead. Simulation underway.





Simulation of Particle Production vs. Beam & Target Parameters' (X. Ding)







Effect of the Magnetic Configuration on Particle Production (H. Sayed)



The magnetic field of the target system varies from B_i at the target to B_f at the front end, over distance z_{end} .

Vary B_i , B_f and Z_{end} .

Results: Better production if


 B_i , B_f and z_{end} are larger.

Present baseline:

 $B_i = 20 \text{ T}$, $B_f = 1.5 \text{ T}$, $z_{end} = 1500 \text{ cm}$.

Could reduce B_i from 20 to 15 T if compensate with larger B_f and z_{end} .

[Reduce cost, and simplify the mercury target module.]






Secondary-Energy Deposition in the Target System (N. Souchlas + J.Back)



Practical lifetime of superconducting coils (insulation) against radiation damage is ~ 10 MGray = 10^4 J/g. For a lifetime of 10 "years" of 10^7 s each, the peak rate of energy deposition would be 10^4 J/g / 10^8 s = 10^{-4} W/g = 0.1 mW/g (= 1 MGray/year of 10^7 s).

Use MARS15 (Souchlas) [and Fluka (Back)] to simulate energy deposition.


- \Rightarrow With shielding, most energy deposition in the SC magnets is due to 1-100 MeV neutrons.
- ⇒Dense shield most effective. We now consider He-gas-cooled W beads.
- ⇒Present baseline is R_{outer,shield} = R_{inner,magnet} = 120 cm.
- ~ 500 kW of power (mostly scattered protons) leaves target system and enters the front end.





Design of the Magnets and Shielding for the Target System (R.J. Weggel)








Design of the Mercury-Handling System (V.B. Graves)







Targetry Effort in FY12-15



Targetry activities in FY13-15 will continue the engineering design studies listed on slide 6.

Beyond FY15: Similar level of effort, with addition of hardware studies of mercury-pool splash issues.

		FTEs							
		FY12	FY13	FY14	FY15				
H. Kirk	(Admin)	0.7	0.7	0.7	0.7				
J.S. Berg	(Admin.)	0.1	0.1	0.1	0.1				
H. Sayed	(Particle production)	1	1	1	1				
K.T.M	(Admin.)	0	0.1	0.1	0.1				
X. Ding	(Particle production)	0.4	0.4	0.4	0.4				
Samulyak Grad.	(Beam/jet interaction)	1	1	1	1				
Ladeinde Grad.	(Nozzle hydrodynamics)	1	1	1	1				
V. Graves	(Mercury system)	0.15	0.3	0.3	0.3				
N. Souchlas	(Energy deposition)	0.5	0.5	0.5	0.5				
B. Weggel	(Magnet/shielding)	0.3	0.3	0.3	0.3				
Total FTEs		5.15	5.25	5.25	5.25				
BNL Travel		25	25	25	25				
Princeton Travel		8.5	8.5	8.5	8.5				
Total M&S		33.5	33.5	33.5	33.5				





Backup



Extract from A. Kurup's Sheet TCDCostSummary.xlsx



Name	
------	--

Target Module

Magnets

Magnet Shielding

Quench Protection System

Vacuum

Cryogenics

Diagnostics

Controls and Interlocks

Health and Safety

Mechanical

Decommissioning

Remote Handling and Hot Cells

Buildings, tunnels and Infrastructure

Total Cost (| Comments

####### Scaled from SNS

####### Estimated by Bob Weggel

####### Estimated by Bob Weggel

####### | Scaled from LBNE

####### Scaled from LBNE

########


USD




Target Module Costs Scaled from SNS (ORNL)




1.06 - Target Systems	116,396,901
1.06.01 - Target Assemblies	14,402,190
1.06.02 - Moderator Systems	8,661,901
1.06.03 - Reflector Assemblies	7,900,655
1.06.04 - Vessel Systems	11,848,901
1.06.05 - Target Station Shielding	13,405,475
1.06.06 - Target Utility Systems	10,730,099
1.06.07 - Remote Handling Systems	14,348,362
1.06.08 - Controls	3,076,899
1.06.09 - Beam Dumps	3,066,529
1.06.10 - Technical Support	12,896,977
1.06.11 - ORNL Field Coordination	16,058,914












Magnet and Shielding Costing by Bob Weggel



20-T, 120-cm-I.R. Target Magnets with Large Axial Gaps at 4, 10, 15 & 20 m

Bob Weggel, Magnet Optimization Research Engineering, LLC 3/22/2012



Target Magnet IDS120j: three solenoids per cryostat; large axial gaps at z = 4, 10, 15 & 20 m [drawing courtesy Van Graves]. Target Magnet IDS120k is very similar, but the outboard solenoids in all cryostats except the first are of optimized (larger) inner radius, to improve field profile. U = 3.34 GJ.





Selected Parameters of Target Magnet IDS120k

	12.47	kA	0.1	meters	S &Lelec	1.724	$\mu\Omega$ cm :	at 20 ºC	7.0	nΩcr	n/deg	10.0	°C To	40.0	atmosph	eres ∆P	0.10m	ΔL_{hy}		
Coil designatio	n	Units		Cu 1	Cu 2	Cu 3	Cu 4	Cu 5	SC 1	SC 2	SC 3	SC 4	SC 5	SC 6	SC 7	SC 8	SC 9	SC 10	SC 11	SC 12
SSt shell thickne	ess	cm		0.255	0.325	0.183	0.160	0.145												
Current density j	$\lambda_{ m coil}$	kA/cm ²	5.00	2.201	2.074	1.412	1.204	1.059	1.931	2.176	2.673	3.346	4.122	4.072	4.503	4.666	4.645	4.645	4.645	4.645
Coil length		cm		100.2	123.6	207.2	212.0	215.6	352.3	77.78	45.20	31.23	255.4	15.45	13.00	341.3	10.96	14.12	320.3	14.12
Gap between co	oils	cm							0.00	87.30	148.6	74.28	83.20	105.0	37.31	27.89	70.76	39.71	39.71	72.00
Upstream end	l	cm		-87.6	-111.0	-121.0	-125.8	-129.5	-240.9	111.4	276.5	470.2	575.7	914.3	1035	1085	1454	1536	1590	1950
Downstream er	nd	cm		12.6	12.6	86.2	86.2	86.2	111.4	189.2	321.7	501.5	831.1	929.8	1048	1426	1465	1550	1910	1964
Inner radius		cm		18.34	23.85	29.58	36.21	43.30	120.0	120.0	120.0	120.0	89.65	118.3	72.36	69.92	69.94	71.88	50.08	71.88
Radial depth of con	ductor	cm		4.760	4.903	5.943	6.435	6.861	75.83	64.34	75.83	55.63	4.155	52.02	14.55	2.456	16.45	18.12	2.334	18.12
Outer radius		cm		23.10	28.76	35.52	42.64	50.16	195.8	184.3	195.8	175.6	93.81	170.3	86.91	72.38	86.39	90.00	52.42	90.00
Volume, inc. SSt	shell	m^3	39.93	0.066	0.108	0.260	0.347	0.444	26.51	4.79	3.40	1.61	0.61	0.73	0.09	0.37	0.09	0.13	0.24	0.13
Maximum on-axis	field	T		20.22	19.01	17.89	16.88	15.97	15.13	13.54	8.29	4.77	3.58	2.17	1.90	1.77	1.53			
SC γ , MPa & fr.	6.00	none	0						0.093	0.070	0.029	0.018	0.017	0.011	0.011	0.011	0.010	0.010	0.010	0.010
Cu γ , MPa & fr.	8.95	100	0	0.550	0.550	0.550	0.550	0.550	0.154	0.174	0.214	0.268	0.330	0.326	0.360	0.373	0.372	0.372	0.372	0.372
SSt γ , MPa & fr.	7.80	700	700	0.051	0.062	0.030	0.024	0.021	0.521	0.495	0.436	0.313	0.159	0.174	0.088	0.056	0.061	0.061	0.061	0.061
SSt cm & SC M\$	30M	\$87.5	0.000	0.256	0.326	0.183	0.160	0.145	\$74.2	\$10.0	\$2.96	\$.176	\$.062	\$.049	\$.006	\$.025	\$.005	\$.008	\$.014	\$.008
Coil tons	\$/m³	6.50	224.4	0.356	0.583	1.382	1.835	2.344	159.0	27.92	18.07	7.80	2.56	3.12	0.37	1.41	0.34	0.49	0.92	0.49
M\$@\$400/kg	0.40	\$2.60	\$89.8	4	4	4	4	4	paths	/layer										
Magnet MW or M	A-m	11.26	86.49	1.53	2.28	2.58	2.46	2.41	51.19	10.41	9.09	5.40	2.52	2.97	0.43	1.75	0.41	0.60	1.12	0.60

Coil dimensions are in rows 3 through 11. Anticipated for the complete magnet, but not tabulated above, are an additional seven sets of three sole-noids each that repeat solenoids SC #10, SC #11 and SC #12 at multiples of 5 m, to a distance z = 50 m. The cost estimates in the columns with first-row entries "kA" and "0.1" include solenoids to z = 20 m.

The cost of each solenoid is based on its mass of superconductor (if any), copper, stainless steel and insulation. The assumed unit cost of fabricated Nb₃Sn (SC #1-#3) is 30 M\$/m³; that of NbTi (SC #4 and up) is \$X M\$/m³. The assumed cost of copper, stainless steel and insulation is \$X/kg. Costs of cryostats, shielding vessels, shielding and other components have yet to be estimated.

The estimated cost of the resistive magnet is 6.50 metric tonnes x \$X/kg = \$Y M. The cost of SC#1 is the sum of two components: superconducting and non-superconducting. The non-superconducting cost is 159.0 tonnes x \$X/kg = Y M\$. The cost attributed to the superconductor is 26.51 m³ $x 0.093 \times Y M\$/m^3 = Z M\$$, for a total of \$X. M\$.

The non-superconducting unit cost of X/kg compares to the Y/kg reported for resistive magnets at the National High Magnetic Field Laboratory (NHMFL) at Tallahassee, Florida. The superconducting unit cost of Z M/m^3$ approximately doubles the non-superconducting unit cost a superconducting magnet. The average unit cost for all the superconducting magnets is X M\$/ 224.4 tonnes = Y/kg. This compares with the Z/kg reported for superconducting and hybrid magnets at the NHMFL.

Weggel's cost estimate agrees to within 2% with the Green-Strauss algorithm (A. Bross).

S O S


Target Hall




A major cost driver will be civil construction and shielding.

LBNE 2-MW target station ~ \$175m

Crude sketch to start IDS-NF costing \








Concrete shielding assumed to be 5 m thick, => floor also 5 m thick, and 5 m shielding above the beamline



Neutrino Factory Study 2 Concepts








LBNE Target Hall Concept








LBNE 20 – TARGET COMPLEX Site Plan








LBNE 20 – Target Complex Target Hall, Support Rooms, Service Rooms






LBNE CD-1 Director's Review - 26-30 March 2012

16



"Beam Left" Service and Support Rooms






Power Supply Room, RAW Room, Air Handling Room, Truck Bay, 2 Story Mechanical Wing

LBNE CD-1 Director's Review - 26-30 March 2012



"Beam Right" Service and Support Rooms






LBNE CD-1 Director's Review - 26-30 March 2012

18



130.06.02.05.04.03 Decay Pipe






H:V 1.0:0.33

The NF Target System Hall is equivalent in many ways to the LBNE Decay Pipe.



Decay Pipe Cross Section





LBNE CD-1 Director's Review - 26-30 March 2012


36

We may need concrete shielding ~ 5.5 m thick around the entire target system.



Decay Pipe Air Cooling Ducting at Target Hall





LBNE CD-1 Director's Review - 26-30 March 2012

We must have an activated-air-handling system for the Target System Hall.





CERN MERIT Experiment



Proof-of-principle demonstration of a mercury jet target in a strong magnetic field, with proton bunches of intensity equivalent to a 4-MW beam.

Performed in the TT2A/TT2 tunnels at CERN, Nov. 2007.










Disruption Length Analysis (H. Park, PhD Thesis)




B=0T, 24GeV


Observe jet at viewport 3 at 500 frames/sec, measure total length of disruption 0.4-of the mercury jet by the proton beam.

Images for 10 Tp, 24 GeV, 10 T:










Disruption length never longer than region of overlap of jet with proton beam.

No disruption for pulses of < 2 Tp in 0 T (< 4 Tp in 10 T).

Disruption length shorter at higher magnetic field.

Filament Velocity Analysis (H. Park)





Filament velocity suppressed by high magnetic field.

Filament start time >> transit time of sound across the jet.

⇒ New transient state of matter???




Pump-Probe Studies





? Is pion production reduced during later bunches due to disruption of the mercury jet by the earlier bunches?

At 14 GeV, the CERN PS could extract several bunches during one turn (pump), and then the remaining bunches at a later time (probe).

Pion production was monitored for both target-in and target-out events by a set of diamond diode









4-Tp probe extracted after 2nd full turn

→ 5.8 µs Delay





Ratio Target In-Out/Target Out

Results consistent with no loss of pion production for bunch delays of 40 and 350 μ s, and a 5% loss (2.5- σ effect) of pion production for bunches delayed by 700 μ s.