Particle Production of Carbon Target with 20Tto2T5m Configuration at 6.75 GeV (Updated)

X. Ding, UCLA

Target Studies
March 20, 2014

Target Setting

- 20Tto2T5m Configuration (initial beam pipe radius of 13 cm) and Fieldmap (20T➔2T);
- Code: MARS15(2014) with ICEM 4 = 1;
- Proton beam: 6.75 GeV (KE) and launched at z = -100 cm,

  Focal beam with waist at z= 0 m and emittance of 5 μm;
- Production Collection: (1.2 m, 5 m, 10 m and 16 m downstream, 40 MeV < KE < 180 MeV).
- Graphite density = 1.8

Configuration



Energy Card Setting

- ENRG E0 EM EPSTAM EMCHR EMNEU EMIGA EMIEL

  E0: The incident particle kinetic energy;

  EM: The hadron threshold energy (Default:0.0145 GeV);

  EPSTAM: The star production threshold kinetic energy (Default:0.03 GeV);

  EMCHR: The threshold energy applied collectively to muons, heavy ions and charged hadrons (Default: 0.001 GeV);

  EMNEU: The threshold energy for neutrons (Default:10^{-4} GeV)

  EMIGA: The threshold energy for γ (Default:10^{-4} GeV);

  EMIEL: The threshold energy for $e^{\pm}$ (Default: $5*10^{-4}$ GeV)

  Use non-default setting: ENRG 1=6.75 2=0.02 3=0.3 4=0.01 5=0.05 6=0.01 7=0.01

Particle Production *vs.* Target Length (10^6 events, no beam dump)

With beam angle = 130 mrad, the dump rod may conflict with the target containment vessel, so compare with beam angle = 65 mard.





Co-linear target and beam. TR/BR=4

Particle Production *vs.* Target Length (10^6 events, no beam dump)

With beam angle = 130 mrad, the dump rod may conflict with the target containment vessel, so compare with beam angle = 65 mard.





Co-linear target and beam. TR/BR=4

Particle Production *vs.* Target Radius (10^6 events, no beam dump)





Co-linear target and beam. TR/BR=4

Particle Production *vs.* Target Radius (10^6 events, no beam dump)





Co-linear target and beam. TR/BR=4

Particle Production *vs*. Beam Angle (10^6 events, no beam dump)





Co-linear target and beam. TR/BR=4

Particle Production *vs*. Beam Angle (10^6 events, no beam dump)





Co-linear target and beam. TR/BR=4

Energy Spectra of $\pi^{\pm}$, $K^{\pm}$, $\mu^{\pm}$ (10^5 events, no beam dump)



Target length: 80 cm
Target radius: 0.72 cm
Beam angle: 65 mrad
Co-linear target and beam
TR/BR=4

Remaining Protons
(10^5 events, no beam dump)



Target length: 80 cm
Target radius: 0.72 cm
Beam angle: 65 mrad
Co-linear target and beam
TR/BR=4

Single Particle Tracking in XZ plane (no target and beam dump)



Target length: 80 cm, Target radius: 0.72 cm, Beam angle: 65 mrad
Co-linear target and beam, TR/BR=4
Z=40 cm, x=-0.4 cm; Z=120 cm, x=-3.097 cm
X=-tan(0.0337)*(z-40)-0.4

Single Particle Tracking in YZ plane (no target and beam dump)



Target length: 80 cm, Target radius: 0.72 cm, Beam angle: 65 mrad
Co-linear target and beam, TR/BR=4
Z=40 cm, y=-2.562 cm; Z=120 cm, y=-6.909 cm
Y=-tan(0.05428)*(z-40)-2.562

Remaining Protons with Beam Dump (10^5 events)



Target length: 80 cm
(z=-40 cm to z=40 cm)
Target radius: 0.72 cm
Beam angle: 65 mrad
Co-linear target and beam
TR/BR=4

Beam dump is 120 cm long
(z=40 cm to z=160 cm)

Beam dump and target have same radius

Remaining Protons with Beam Dump (10^5 events)



Target length: 80 cm
(z=-40 cm to z=40 cm)
Target radius: 0.72 cm
Beam angle: 65 mrad
Co-linear target and beam
TR/BR=4

Beam dump is 120 cm long
(z=40 cm to z=160 cm)

The radius of beam dump is twice that of the target

Remaining Protons with Beam Dump (10^5 events)



Target length: 80 cm
(z=-40 cm to z=40 cm)
Target radius: 0.72 cm
Beam angle: 65 mrad
Co-linear target and beam
TR/BR=4

Beam dump is 120 cm long
(z=40 cm to z=160 cm)

The radius of beam dump is triple that of the target

Yield Comparison at z=5 m
(10^5 events)

No beam dump	Beam dump (same as target radius)	Beam dump (twice target radius)	Beam dump (triple target radius)
14941	15688	14850	13550

Target length: 80 cm, Target radius: 0.72 cm, Dump length: 120 cm,
Beam angle: 65 mrad
Co-linear target and beam, TR/BR=4