





ISSUES RELATING TO THE Hg-JET TARGET SYSTEM

P.T. Spampinato V.B. Graves T.A. Gabriel

Princeton University November 17, 2005

Outline Of Issues

- Solenoid
 - Stray Fields
 - Replacing Nozzle/Plenum In Situ
- Nozzle Tests
 - Schedule
- Material Compatibility for Windows
 - Welding Ti Alloy to Stainless Steel
- MHD Simulations
 - Jet Stability, Shape Distortion
 - Reaction Forces Across Field Lines
- Laser Optics
 - Schedule




- Activation Products
 - Filters?
- MERIT Schedule



Stray Magnetic Fields

- Mon Collider
- Hydraulic Cylinders/Hg Pump Cylinder
- Hydraulic Hoses and Fittings



Magnetic field distribution: the axes are in meters; the rectangle is one half of the solenoid.

- The volume within the conductor is > 9.7 T (red), > 6.1 T (orange).
- The field at Z=0, R=0.6 is >0.6 T, at R=1.0 (base support structure), $B>\sim0.1$ T (1000 G).
- The field at Z=-2.5, R=0.4 (pump motor) is 0.03<B<0.07 T (300-700 G).



Field Issues (cont.)




- Position hydraulic pump to minimize field effects
- Max field at cylinders between 0.17T & 0.26T
- Need steel cover plates for magnetic shielding over cylinders?
- Remote valve or sensor concerns?



Stray Field Values








Field Near Equipment







Nozzle Tests



- Results are needed as soon as possible in order to make changes during the fabrication of the plenum/nozzle components
 - Must be before April '06 when the target system is delivered to ORNL



Beam Windows



- There is concern regarding welding titanium alloy to stainless steel
 - Mechanically attached windows require more space



MHD Simulations




 MHD simulations are needed to assess jet stability, distortion, and reaction forces for a nozzle crossing field lines




Laser Optics

Mon Collider

- The laser optics should be delivered to ORNL as a module ready to install
 - Detailed interface drawings have been provided
 - Deliver equipment in early April '06







Activation Products



- Develop list of radionuclides and their half lives
 - Establish the safe time for access into the secondary enclosure
 - Assess the effectiveness of secondary containment air filtration



Schedule

Highlights

- Solenoid Tests at MIT Jan '06
- Target Tests at ORNL May-Aug '06
- Integrated Tests at MIT Sep-Oct '06
 - Retest, if needed Nov '06
- Beam Tests at CERN Apr '07
 - Retest, if needed Jun '07

